

EAST SEARCH 07/25/2007 TZM

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	1	"6668315".pn.	USPAT
2	BRS	S2	1	"6079011".pn.	USPAT
3	BRS	S3	1	"5696595".pn.	USPAT
4	BRS	S4	1	"5696955".pn.	USPAT
5	BRS	S5	0	"8252308"	USPAT
6	BRS	S6	0	"8252308".an.	USPAT
7	BRS	S7	0	"08252308"	USPAT
8	BRS	S8	1	"6487657".pn.	USPAT
9	BRS	S9	1	"5649225".pn.	USPAT
10	BRS	S10	1	"20040068641"	US-PGPUB
11	BRS	S11	19	712/202.ccls.	US-PGPUB
12	BRS	S12	314	712/216-219.ccls.	US-PGPUB
13	BRS	S13	21	712/222.ccls.	US-PGPUB
14	BRS	S14	157	712/225.ccls.	US-PGPUB
15	BRS	S15	175	712/227.ccls.	US-PGPUB
16	BRS	S16	51	712/229.ccls.	US-PGPUB
17	BRS	S17	85	712/244.ccls.	US-PGPUB
18	BRS	S18	51	703/26.ccls.	US-PGPUB
19	BRS	S19	1	"5696955".pn.	USPAT
20	BRS	S20	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	S21	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	S22	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
23	BRS	S23	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	S24	61	fxch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	S25	23648	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	S26	25087	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	S27	8572	(exchang\$3 or switch\$3 or swap\$4) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
28	BRS	S28	1020	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	S29	174	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	S30	86	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and microcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	S31	91	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	S32	9082	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
33	BRS	S33	9045	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	S34	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	S35	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) near2 exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	S36	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency same ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
37	BRS	S37	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	S38	174	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	S39	86	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	S40	91	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	S41	84	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and underflow and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	S49	19	712/202.ccls.	US-PGPUB
43	BRS	S50	315	712/216-219.ccls.	US-PGPUB
44	BRS	S51	21	712/222.ccls.	US-PGPUB
45	BRS	S52	157	712/225.ccls.	US-PGPUB
46	BRS	S53	176	712/227.ccls.	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
47	BRS	S54	53	712/229.ccls.	US-PGPUB
48	BRS	S55	87	712/244.ccls.	US-PGPUB
49	BRS	S56	51	703/26.ccls.	US-PGPUB
50	BRS	S42	1	"6668315".pn.	USPAT
51	BRS	S43	1	"6079011".pn.	USPAT
52	BRS	S44	1	"5696595".pn.	USPAT
53	BRS	S45	1	"5696955".pn.	USPAT
54	BRS	S46	1	"6487657".pn.	USPAT
55	BRS	S47	1	"5649225".pn.	USPAT
56	BRS	S48	1	"20040068641"	US-PGPUB
57	BRS	S57	1	"5696955".pn.	USPAT
58	BRS	S59	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	S60	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	S61	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	BRS	S58	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
62	BRS	S62	82	overrid\$3 near2 dependen\$3	USPAT
63	BRS	S64	353	(overrid\$3 or overcom\$3) near2 dependen\$3	USPAT
64	BRS	S63	2	(overrid\$3 or overcom\$3) near2 dependen\$3 with stack	USPAT
65	BRS	S65	3	(overrid\$3 or overcom\$3) near2 dependen\$3 same stack	USPAT
66	BRS	S66	3	(overrid\$3 or overcom\$3 or bypass\$3) near2 dependen\$3 same stack	USPAT
67	BRS	S67	2	speculat\$4 with dependen\$3 with stack	USPAT
68	BRS	S75	19	712/202.ccls.	US-PGPUB
69	BRS	S76	315	712/216-219.ccls.	US-PGPUB
70	BRS	S77	21	712/222.ccls.	US-PGPUB
71	BRS	S78	157	712/225.ccls.	US-PGPUB
72	BRS	S79	176	712/227.ccls.	US-PGPUB
73	BRS	S80	53	712/229.ccls.	US-PGPUB
74	BRS	S81	87	712/244.ccls.	US-PGPUB
75	BRS	S82	51	703/26.ccls.	US-PGPUB
76	BRS	S68	1	"6668315".pn.	USPAT
77	BRS	S69	1	"6079011".pn.	USPAT
78	BRS	S70	1	"5696595".pn.	USPAT
79	BRS	S71	1	"5696955".pn.	USPAT
80	BRS	S72	1	"6487657".pn.	USPAT
81	BRS	S73	1	"5649225".pn.	USPAT
82	BRS	S74	1	"20040068641"	US-PGPUB
83	BRS	S83	1	"5696955".pn.	USPAT
84	BRS	S85	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
85	BRS	S86	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	BRS	S87	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	BRS	S84	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	BRS	S88	42	floating near2 point near exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	BRS	S89	63	floating near2 point near2 exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	BRS	S94	0	"8252308"	USPAT
91	BRS	S95	0	"8252308".an.	USPAT
92	BRS	S96	0	"08252308"	USPAT
93	BRS	S100	19	712/202.ccls.	US-PGPUB
94	BRS	S101	315	712/216-219.ccls.	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
95	BRS	S102	21	712/222.ccls.	US-PGPUB
96	BRS	S103	157	712/225.ccls.	US-PGPUB
97	BRS	S104	176	712/227.ccls.	US-PGPUB
98	BRS	S105	53	712/229.ccls.	US-PGPUB
99	BRS	S106	87	712/244.ccls.	US-PGPUB
100	BRS	S107	51	703/26.ccls.	US-PGPUB
101	BRS	S90	1	"6668315".pn.	USPAT
102	BRS	S91	1	"6079011".pn.	USPAT
103	BRS	S92	1	"5696595".pn.	USPAT
104	BRS	S93	1	"5696955".pn.	USPAT
105	BRS	S97	1	"6487657".pn.	USPAT
106	BRS	S98	1	"5649225".pn.	USPAT
107	BRS	S99	1	"20040068641"	US-PGPUB
108	BRS	S108	1	"5696955".pn.	USPAT
109	BRS	S110	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
110	BRS	S111	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
111	BRS	S112	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
112	BRS }	S109	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
113	BRS	S117	0	"8252308"	USPAT
114	BRS	S118	0	"8252308".an.	USPAT
115	BRS	S119	0	"08252308"	USPAT
116	BRS	S123	19	712/202.ccls.	US-PGPUB
117	BRS	S124	315	712/216-219.ccls.	US-PGPUB
118	BRS	S125	21	712/222.ccls.	US-PGPUB
119	BRS	S126	157	712/225.ccls.	US-PGPUB
120	BRS	S127	176	712/227.ccls.	US-PGPUB
121	BRS	S128	53	712/229.ccls.	US-PGPUB
122	BRS	S129	87	712/244.ccls.	US-PGPUB
123	BRS	S130	51	703/26.ccls.	US-PGPUB
124	BRS	S113	1	"6668315".pn.	USPAT
125	BRS	S114	1	"6079011".pn.	USPAT
126	BRS	S115	1	"5696595".pn.	USPAT
127	BRS	S116	1	"5696955".pn.	USPAT
128	BRS	S120	1	"6487657".pn.	USPAT
129	BRS	S121	1	"5649225".pn.	USPAT
130	BRS	S122	1	"20040068641"	US-PGPUB
131	BRS	S131	1	"5696955".pn.	USPAT
132	BRS	S133	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
133	BRS	S134	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
134	BRS	S135	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
135	BRS	S132	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
136	BRS	S136	1	"6681632".pn.	USPAT
137	BRS	S137	1	"5829049".pn.	USPAT
138	BRS	S138	1	"5487258".pn.	USPAT
139	BRS	S139	1	"5987258".pn.	USPAT
140	BRS	S140	1	"5896517".pn.	USPAT
141	BRS	S141	1	"4217638".pn.	USPAT
142	BRS	S146	0	"8252308"	USPAT
143	BRS	S147	0	"8252308".an.	USPAT
144	BRS	S148	0	"08252308"	USPAT
145	BRS	S152	19	712/202.ccls.	US-PGPUB
146	BRS	S153	318	712/216-219.ccls.	US-PGPUB
147	BRS	S154	21	712/222.ccls.	US-PGPUB
148	BRS	S155	157	712/225.ccls.	US-PGPUB
149	BRS	S156	176	712/227.ccls.	US-PGPUB
150	BRS	S157	53	712/229.ccls.	US-PGPUB
151	BRS	S158	88	712/244.ccls.	US-PGPUB
152	BRS	S159	52	703/26.ccls.	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
153	BRS	S165	61	fxch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
154	BRS	S166	23674	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
155	BRS	S167	25115	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
156	BRS	S168	8581	(exchang\$3 or switch\$3 or swap\$4) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
157	BRS	S169	1021	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
158	BRS	S170	174	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
159	BRS	S171	86	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and microcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
160	BRS	S172	91	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
161	BRS	S173	9084	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
162	BRS	S174	9047	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
163	BRS	S175	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
164	BRS	S176	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) near2 exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
165	BRS	S177	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency same ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
166	BRS	S178	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
167	BRS	S179	174	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
168	BRS	S180	86	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
169	BRS	S181	91	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
170	BRS	S183	19	712/202.ccls.	US-PGPUB
171	BRS	S184	318	712/216-219.ccls.	US-PGPUB
172	BRS	S185	21	712/222.ccls.	US-PGPUB
173	BRS	S186	157	712/225.ccls.	US-PGPUB
174	BRS	S187	176	712/227.ccls.	US-PGPUB
175	BRS	S188	53	712/229.ccls.	US-PGPUB
176	BRS	S189	88	712/244.ccls.	US-PGPUB
177	BRS	S190	52	703/26.ccls.	US-PGPUB
178	BRS	S203	82	overrid\$3 near2 dependen\$3	USPAT
179	BRS	S204	353	(overrid\$3 or overcom\$3) near2 dependen\$3	USPAT
180	BRS	S207	3	(overrid\$3 or overcom\$3 or bypass\$3) near2 dependen\$3 same stack	USPAT
181	BRS	S209	19	712/202.ccls.	US-PGPUB
182	BRS	S210	318	712/216-219.ccls.	US-PGPUB
183	BRS	S211	21	712/222.ccls.	US-PGPUB
184	BRS	S212	157	712/225.ccls.	US-PGPUB
185	BRS	S213	176	712/227.ccls.	US-PGPUB
186	BRS	S214	53	712/229.ccls.	US-PGPUB
187	BRS	S215	88	712/244.ccls.	US-PGPUB
188	BRS	S216	52	703/26.ccls.	US-PGPUB
189	BRS	S229	42	floating near2 point near exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
190	BRS	S230	63	floating near2 point. near2 exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
191	BRS	S231	0	"8252308"	USPAT
192	BRS	S232	0	"8252308".an.	USPAT
193	BRS	S233	0	"08252308"	USPAT
194	BRS	S234	19	712/202.ccls.	US-PGPUB
195	BRS	S235	318	712/216-219.ccls.	US-PGPUB
196	BRS	S236	21	712/222.ccls.	US-PGPUB
197	BRS	S237	157	712/225.ccls.	US-PGPUB
198	BRS	S238	176	712/227.ccls.	US-PGPUB
199	BRS	S239	53	712/229.ccls.	US-PGPUB
200	BRS	S240	88	712/244.ccls.	US-PGPUB
201	BRS	S241	52	703/26.ccls.	US-PGPUB
202	BRS	S254	0	"8252308"	USPAT
203	BRS	S255	0	"8252308".an.	USPAT
204	BRS	S256	0	"08252308"	USPAT
205	BRS	S257	19	712/202.ccls.	US-PGPUB
206	BRS	S258	318	712/216-219.ccls.	US-PGPUB
207	BRS	S259	21	712/222.ccls.	US-PGPUB
208	BRS	S260	157	712/225.ccls.	US-PGPUB
209	BRS	S261	176	712/227.ccls.	US-PGPUB
210	BRS	S262	53	712/229.ccls.	US-PGPUB
211	BRS	S263	88	712/244.ccls.	US-PGPUB
212	BRS	S264	52	703/26.ccls.	US-PGPUB
213	BRS	S142	1	"6668315".pn.	USPAT
214	BRS	S143	1	"6079011".pn.	USPAT
215	BRS	S144	1	"5696595".pn.	USPAT
216	BRS	S145	1	"5696955".pn.	USPAT
217	BRS	S149	1	"6487657".pn.	USPAT
218	BRS	S150	1	"5649225".pn.	USPAT
219	BRS	S151	1	"20040068641"	US-PGPUB
220	BRS	S160	1	"5696955".pn.	USPAT
221	BRS	S191	1	"6668315".pn.	USPAT
222	BRS	S192	1	"6079011".pn.	USPAT
223	BRS	S193	1	"5696595".pn.	USPAT
224	BRS	S194	1	"5696955".pn.	USPAT
225	BRS	S195	1	"6487657".pn.	USPAT
226	BRS	S196	1	"5649225".pn.	USPAT

227	BRS	S197	1	"20040068641"	US-PGPUB
228	BRS	S198	1	"5696955".pn.	USPAT

	Type	Ref #	Hits	Search Text	DBs
229	BRS	S217	1	"6668315".pn.	USPAT
230	BRS	S218	1	"6079011".pn.	USPAT
231	BRS	S219	1	"5696595".pn.	USPAT
232	BRS	S220	1	"5696955".pn.	USPAT
233	BRS	S221	1	"6487657".pn.	USPAT
234	BRS	S222	1	"5649225".pn.	USPAT
235	BRS	S223	1	"20040068641"	US-PGPUB
236	BRS	S224	1	"5696955".pn.	USPAT
237	BRS	S242	1	"6668315".pn.	USPAT
238	BRS	S243	1	"6079011".pn.	USPAT
239	BRS	S244	1	"5696595".pn.	USPAT
240	BRS	S245	1	"5696955".pn.	USPAT
241	BRS	S246	1	"6487657".pn.	USPAT
242	BRS	S247	1	"5649225".pn.	USPAT
243	BRS	S248	1	"20040068641"	US-PGPUB
244	BRS	S249	1	"5696955".pn.	USPAT
245	BRS	S265	1	"6668315".pn.	USPAT
246	BRS	S266	1	"6079011".pn.	USPAT
247	BRS	S267	1	"5696595".pn.	USPAT
248	BRS	S268	1	"5696955".pn.	USPAT
249	BRS	S269	1	"6487657".pn.	USPAT
250	BRS	S270	1	"5649225".pn.	USPAT
251	BRS	S271	1	"20040068641"	US-PGPUB
252	BRS	S272	1	"5696955".pn.	USPAT
253	BRS	S277	1	"6681632".pn.	USPAT
254	BRS	S278	1	"5829049".pn.	USPAT
255	BRS	S162	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
256	BRS	S163	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
257	BRS	S164	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
258	BRS	S182	84	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and underflow and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
259	BRS	S199	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
260	BRS	S200	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
261	BRS	S201	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
262	BRS	S205	2	(overrid\$3 or overcom\$3) near2 dependen\$3 with stack	USPAT
263	BRS	S206	3	(overrid\$3 or overcom\$3) near2 dependen\$3 same stack	USPAT
264	BRS	S208	2	speculat\$4 with dependen\$3 with stack	USPAT
265	BRS	S225	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
266	BRS	S226	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
267	BRS	S227	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
268	BRS	S250	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
269	BRS	S251	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
270	BRS	S252	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
271	BRS	S273	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
272	BRS	S274	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
273	BRS	S275	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
274	BRS	S161	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
275	BRS	S202	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
276	BRS	S228	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
277	BRS	S253	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
278	BRS	S276	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
279	BRS	S279	1	"6725361".pn.	USPAT
280	BRS	S280	5	"6499101"	USPAT
281	BRS	S281	46	"4594682"	USPAT
282	BRS	S282	1	"4594682".pn.	USPAT
283	BRS	S444	9238	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
284	BRS	S445	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
285	BRS	S449	178	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
286	BRS	S450	87	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
287	BRS	S451	92	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
288	BRS	S461	363	(overrid\$3 or overcom\$3) near2 dependen\$3	USPAT
289	BRS	S462	3	(overrid\$3 or overcom\$3 or bypass\$3) near2 dependen\$3 same stack	USPAT
290	BRS	S463	21	712/202.ccls.	US-PGPUB
291	BRS	S458	95	712/244.ccls.	US-PGPUB
292	BRS	S459	58	703/26.ccls.	US-PGPUB
293	BRS	S460	83	overrid\$3 near2 dependen\$3	USPAT
294	BRS	S340	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
295	BRS	S347	3	(overrid\$3 or overcom\$3) near2 dependen\$3 same stack	USPAT
296	BRS	S342	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
297	BRS	S346	2	(overrid\$3 or overcom\$3) near2 dependen\$3 with stack	USPAT
298	BRS	S349	2	speculat\$4 with dependen\$3 with stack	USPAT
299	BRS	S366	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
300	BRS	S368	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
301	BRS	S391	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
302	BRS	S393	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
303	BRS	S414	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
304	BRS	S416	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
305	BRS	S537	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
306	BRS	S539	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
307	BRS	S540	86	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and underflow and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
308	BRS	S541	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
309	BRS	S545	3	(overrid\$3 or overcom\$3) near2 dependen\$3 same stack	USPAT
310	BRS	S543	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
311	BRS	S546	2	speculat\$4 with dependen\$3 with stack	USPAT

	Type	Ref #	Hits	Search Text	DBs
312	BRS	S547	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
313	BRS	S549	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
314	BRS	S550	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
315	BRS	S552	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
316	BRS	S544	2	(overrid\$3 or overcom\$3) near2 dependen\$3 with stack	USPAT
317	BRS	S553	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
318	BRS	S562	5	"6499101"	USPAT
319	BRS	S563	46	"4594682"	USPAT
320	BRS	S302	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
321	BRS	S304	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
322	BRS	S341	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
323	BRS	S328	192	712/227.ccls.	US-PGPUB
324	BRS	S329	55	712/229.ccls.	US-PGPUB
325	BRS	S330	95	712/244.ccls.	US-PGPUB
326	BRS	S331	58	703/26.ccls.	US-PGPUB
327	BRS	S344	83	overrid\$3 near2 dependen\$3	USPAT
328	BRS	S343	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
329	BRS	S367	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
330	BRS	S369	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
331	BRS	S392	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
332	BRS	S394	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
333	BRS	S415	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
334	BRS	S417	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
335	BRS	S538	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
336	BRS	S542	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
337	BRS	S548	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
338	BRS	S551	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
339	BRS	S554	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
340	BRS	S556	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
341	BRS	S557	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
342	BRS	S558	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
343	BRS	S559	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
344	BRS	S560	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
345	BRS	S350	21	712/202.ccls.	US-PGPUB
346	BRS	S320	178	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
347	BRS	S431	192	712/227.ccls.	US-PGPUB
348	BRS	S432	55	712/229.ccls.	US-PGPUB
349	BRS	S433	95	712/244.ccls.	US-PGPUB
350	BRS	S435	61	fxch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
351	BRS	S436	24658	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
352	BRS	S321	87	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
353	BRS	S437	26156	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
354	BRS	S288	0	"8252308".an.	USPAT
355	BRS	S295	24	712/222.ccls.	US-PGPUB
356	BRS	S296	167	712/225.ccls.	US-PGPUB
357	BRS	S300	58	703/26.ccls.	US-PGPUB
358	BRS	S306	61	fxch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
359	BRS	S289	0	"08252308"	USPAT
360	BRS	S298	55	712/229.ccls.	US-PGPUB
361	BRS	S294	335	712/216-219.ccls.	US-PGPUB
362	BRS	S297	192	712/227.ccls.	US-PGPUB
363	BRS	S370	42	floating near2 point near exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
364	BRS	S353	167	712/225.ccls.	US-PGPUB
365	BRS	S354	192	712/227.ccls.	US-PGPUB
366	BRS	S355	55	712/229.ccls.	US-PGPUB
367	BRS	S356	95	712/244.ccls.	US-PGPUB
368	BRS	S357	58	703/26.ccls.	US-PGPUB
369	BRS	S371	63	floating near2 point near2 exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
370	BRS	S372	0	"8252308"	USPAT
371	BRS	S293	21	712/202.ccls.	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
372	BRS	S439	1069	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
373	BRS	S314	9275	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
374	BRS	S395	0	"8252308"	USPAT
375	BRS	S396	0	"8252308".an.	USPAT
376	BRS	S397	0	"08252308"	USPAT
377	BRS	S398	21	712/202.ccls.	US-PGPUB
378	BRS	S399	335	712/216-219.ccls.	US-PGPUB
379	BRS	S402	192	712/227.ccls.	US-PGPUB
380	BRS	S403	55	712/229.ccls.	US-PGPUB
381	BRS	S404	95	712/244.ccls.	US-PGPUB
382	BRS	S307	24658	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
383	BRS	S319	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
384	BRS	S310	1069	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
385	BRS	S308	26156	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
386	BRS	S315	9238	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
387	BRS	S313	92	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
388	BRS	S311	178	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
389	BRS	S312	87	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and microcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
390	BRS	S309	8962	(exchang\$3 or switch\$3 or swap\$4) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
391	BRS	S318	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency same ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
392	BRS	S345	363	(overrid\$3 or overcom\$3) near2 dependen\$3	USPAT
393	BRS	S440	178	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
394	BRS	S299	95	712/244.ccls.	US-PGPUB
395	BRS	S287	0	"8252308"	USPAT
396	BRS	S348	3	(overrid\$3 or overcom\$3 or bypass\$3) near2 dependen\$3 same stack	USPAT
397	BRS	S316	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
398	BRS	S317	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) near2 exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
399	BRS	S375	21	712/202.ccls.	US-PGPUB
400	BRS	S376	335	712/216-219.ccls.	US-PGPUB
401	BRS	S377	24	712/222.ccls.	US-PGPUB
402	BRS	S378	167	712/225.ccls.	US-PGPUB
403	BRS	S379	192	712/227.ccls.	US-PGPUB
404	BRS	S380	55	712/229.ccls.	US-PGPUB
405	BRS	S381	95	712/244.ccls.	US-PGPUB
406	BRS	S382	58	703/26.ccls.	US-PGPUB
407	BRS	S351	335	712/216-219.ccls.	US-PGPUB
408	BRS	S352	24	712/222.ccls.	US-PGPUB
409	BRS	S405	58	703/26.ccls.	US-PGPUB
410	BRS	S424	0	"8252308"	USPAT
411	BRS	S425	0	"8252308".an.	USPAT
412	BRS	S426	0	"08252308"	USPAT
413	BRS	S427	21	712/202.ccls.	US-PGPUB
414	BRS	S428	335	712/216-219.ccls.	US-PGPUB
415	BRS	S429	24	712/222.ccls.	US-PGPUB
416	BRS	S430	167	712/225.ccls.	US-PGPUB
417	BRS	S324	21	712/202.ccls.	US-PGPUB
418	BRS	S322	92	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
419	BRS	S443	9275	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
420	BRS	S325	335	712/216-219.ccls.	US-PGPUB
421	BRS	S326	24	712/222.ccls.	US-PGPUB
422	BRS	S327	167	712/225.ccls.	US-PGPUB
423	BRS	S373	0	"8252308".an.	USPAT
424	BRS	S374	0	"08252308"	USPAT
425	BRS	S400	24	712/222.ccls.	US-PGPUB
426	BRS	S401	167	712/225.ccls.	US-PGPUB
427	BRS	S434	58	703/26.ccls.	US-PGPUB
428	BRS	S438	8962	(exchang\$3 or switch\$3 or swap\$4) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
429	BRS	S441	87	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and microcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
430	BRS	S442	92	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
431	BRS	S446	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) near2 exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
432	BRS	S447	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency same ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
433	BRS	S448	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
434	BRS	S452	21	712/202.ccls.	US-PGPUB
435	BRS	S464	335	712/216-219.ccls.	US-PGPUB
436	BRS	S465	24	712/222.ccls.	US-PGPUB
437	BRS	S466	167	712/225.ccls.	US-PGPUB
438	BRS	S467	192	712/227.ccls.	US-PGPUB
439	BRS	S468	55	712/229.ccls.	US-PGPUB
440	BRS	S473	0	"8252308"	USPAT
441	BRS	S474	0	"8252308".an.	USPAT
442	BRS	S475	0	"08252308"	USPAT
443	BRS	S476	21	712/202.ccls.	US-PGPUB
444	BRS	S477	335	712/216-219.ccls.	US-PGPUB
445	BRS	S478	24	712/222.ccls.	US-PGPUB
446	BRS	S479	167	712/225.ccls.	US-PGPUB
447	BRS	S480	192	712/227.ccls.	US-PGPUB
448	BRS	S481	55	712/229.ccls.	US-PGPUB
449	BRS	S482	95	712/244.ccls.	US-PGPUB
450	BRS	S488	335	712/216-219.ccls.	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
451	BRS	S489	24	712/222.ccls.	US-PGPUB
452	BRS	S490	167	712/225.ccls.	US-PGPUB
453	BRS	S491	192	712/227.ccls.	US-PGPUB
454	BRS	S492	55	712/229.ccls.	US-PGPUB
455	BRS	S493	95	712/244.ccls.	US-PGPUB
456	BRS	S494	58	703/26.ccls.	US-PGPUB
457	BRS	S283	1	"6668315".pn.	USPAT
458	BRS	S301	1	"5696955".pn.	USPAT
459	BRS	S333	1	"6079011".pn.	USPAT
460	BRS	S334	1	"5696595".pn.	USPAT
461	BRS	S335	1	"5696955".pn.	USPAT
462	BRS	S336	1	"6487657".pn.	USPAT
463	BRS	S337	1	"5649225".pn.	USPAT
464	BRS	S338	1	"20040068641"	US-PGPUB
465	BRS	S339	1	"5696955".pn.	USPAT
466	BRS	S358	1	"6668315".pn.	USPAT
467	BRS	S359	1	"6079011".pn.	USPAT
468	BRS	S365	1	"5696955".pn.	USPAT
469	BRS	S383	1	"6668315".pn.	USPAT
470	BRS	S384	1	"6079011".pn.	USPAT
471	BRS	S385	1	"5696595".pn.	USPAT
472	BRS	S386	1	"5696955".pn.	USPAT
473	BRS	S387	1	"6487657".pn.	USPAT
474	BRS	S388	1	"5649225".pn.	USPAT
475	BRS	S389	1	"20040068641"	US-PGPUB
476	BRS	S390	1	"5696955".pn.	USPAT
477	BRS	S406	1	"6668315".pn.	USPAT
478	BRS	S407	1	"6079011".pn.	USPAT
479	BRS	S413	1	"5696955".pn.	USPAT
480	BRS	S418	1	"6681632".pn.	USPAT
481	BRS	S419	1	"5829049".pn.	USPAT
482	BRS	S422	1	"5896517".pn.	USPAT
483	BRS	S423	1	"4217638".pn.	USPAT
484	BRS	S499	1	"6487657".pn.	USPAT
485	BRS	S500	1	"5649225".pn.	USPAT
486	BRS	S501	1	"20040068641"	US-PGPUB
487	BRS	S502	1	"5696955".pn.	USPAT
488	BRS	S503	1	"6668315".pn.	USPAT
489	BRS	S504	1	"6079011".pn.	USPAT
490	BRS	S505	1	"5696595".pn.	USPAT
491	BRS	S506	1	"5696955".pn.	USPAT
492	BRS	S507	1	"6487657".pn.	USPAT

493	BRS	S508	1	"5649225".pn.	USPAT
-----	-----	------	---	---------------	-------

	Type	Ref #	Hits	Search Text	DBs
494	BRS	S509	1	"20040068641"	US-PGPUB
495	BRS	S510	1	"5696955".pn.	USPAT
496	BRS	S514	1	"5696955".pn.	USPAT
497	BRS	S515	1	"6487657".pn.	USPAT
498	BRS	S516	1	"5649225".pn.	USPAT
499	BRS	S517	1	"20040068641"	US-PGPUB
500	BRS	S518	1	"5696955".pn.	USPAT
501	BRS	S519	1	"6668315".pn.	USPAT
502	BRS	S520	1	"6079011".pn.	USPAT
503	BRS	S521	1	"5696595".pn.	USPAT
504	BRS	S522	1	"5696955".pn.	USPAT
505	BRS	S523	1	"6487657".pn.	USPAT
506	BRS	S524	1	"5649225".pn.	USPAT
507	BRS	S525	1	"20040068641"	US-PGPUB
508	BRS	S526	1	"5696955".pn.	USPAT
509	BRS	S530	1	"5696955".pn.	USPAT
510	BRS	S531	1	"6487657".pn.	USPAT
511	BRS	S532	1	"5649225".pn.	USPAT
512	BRS	S533	1	"20040068641"	US-PGPUB
513	BRS	S534	1	"5696955".pn.	USPAT
514	BRS	S535	1	"6681632".pn.	USPAT
515	BRS	S536	1	"5829049".pn.	USPAT
516	BRS	S555	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
517	BRS	S561	1	"6725361".pn.	USPAT
518	BRS	S564	1	"4594682".pn.	USPAT
519	BRS	S456	192	712/227.ccls.	US-PGPUB
520	BRS	S290	1	"6487657".pn.	USPAT
521	BRS	S291	1	"5649225".pn.	USPAT
522	BRS	S453	335	712/216-219.ccls.	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
523	BRS	S454	24	712/222.ccls.	US-PGPUB
524	BRS	S455	167	712/225.ccls.	US-PGPUB
525	BRS	S457	55	712/229.ccls.	US-PGPUB
526	BRS	S303	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
527	BRS	S305	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
528	BRS	S469	95	712/244.ccls.	US-PGPUB
529	BRS	S470	58	703/26.ccls.	US-PGPUB
530	BRS	S471	42	floating near2 point near exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
531	BRS	S472	63	floating near2 point near2 exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
532	BRS	S483	58	703/26.ccls.	US-PGPUB
533	BRS	S484	0	"8252308"	USPAT
534	BRS	S485	0	"8252308".an.	USPAT
535	BRS	S486	0	"08252308"	USPAT
536	BRS	S487	21	712/202.ccls.	US-PGPUB
537	BRS	S284	1	"6079011".pn.	USPAT

	Type	Ref #	Hits	Search Text	DBs
538	BRS	S285	1	"5696595".pn.	USPAT
539	BRS	S286	1	"5696955".pn.	USPAT
540	BRS	S323	86	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and underflow and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
541	BRS	S292	1	"20040068641"	US-PGPUB
542	BRS	S332	1	"6668315".pn.	USPAT
543	BRS	S360	1	"5696595".pn.	USPAT
544	BRS	S361	1	"5696955".pn.	USPAT
545	BRS	S362	1	"6487657".pn.	USPAT
546	BRS	S363	1	"5649225".pn.	USPAT
547	BRS	S364	1	"20040068641"	US-PGPUB
548	BRS	S408	1	"5696595".pn.	USPAT
549	BRS	S409	1	"5696955".pn.	USPAT
550	BRS	S410	1	"6487657".pn.	USPAT
551	BRS	S411	1	"5649225".pn.	USPAT
552	BRS	S412	1	"20040068641"	US-PGPUB
553	BRS	S420	1	"5487258".pn.	USPAT
554	BRS	S421	1	"5987258".pn.	USPAT
555	BRS	S495	1	"6668315".pn.	USPAT
556	BRS	S496	1	"6079011".pn.	USPAT
557	BRS	S497	1	"5696595".pn.	USPAT
558	BRS	S498	1	"5696955".pn.	USPAT
559	BRS	S511	1	"6668315".pn.	USPAT
560	BRS	S512	1	"6079011".pn.	USPAT
561	BRS	S513	1	"5696595".pn.	USPAT
562	BRS	S527	1	"6668315".pn.	USPAT
563	BRS	S528	1	"6079011".pn.	USPAT
564	BRS	S529	1	"5696595".pn.	USPAT
565	BRS	S565	23	(shadow near2 register) with context with switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
566	BRS	S566	31	(shadow near2 register) with context with switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
567	BRS	S570	0	paraday.in. and swap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
568	BRS	S568	0	paraday.in. and thread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
569	BRS	S569	0	paraday.in. and context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
570	BRS	S567	5	paraday.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
571	BRS	S571	157	parady.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
572	BRS	S572	9	parady.in. and context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
573	BRS	S574	2	"6145049".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
574	BRS	S573	10	(shadow near2 register) with context with switch\$3 and swap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
575	BRS	S575	3	"20020083253"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
576	BRS	S579	4	david.in. and luick.in. and primary and latch and context and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
577	BRS	S580	2	"5987258".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
578	BRS	S578	8	david.in. and luick.in. and primary and latch and context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
579	BRS	S576	127	david.in. and luick.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
580	BRS	S577	21	david.in. and luick.in. and primary and latch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
581	BRS	S582	10	xchg near2 instruction	US-PGPUB
582	BRS	S583	53	xchg near2 instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
583	BRS	S584	13	xchg near2 instruction and swap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
584	BRS	S586	86	(swap\$4 with \$5thread with (latch\$3 or register))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
585	BRS	S585	8	xchg near2 instruction and swap and thread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
586	BRS	S581	2	secondary.clm. and latch.clm. and context.clm. and switch.clm.	US-PGPUB
587	BRS	S587	19	(swap\$4 with (latch\$3 or register) with \$5thread with switch\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
588	BRS	S588	412	718/108.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
589	BRS	S589	1	"5704034".pn.	USPAT
590	BRS	S590	1	"5978902".pn.	USPAT
591	BRS	S591	1	"6300946".pn.	USPAT
592	BRS	S592	1	"6081880".pn.	USPAT

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	544	718/107.ccls.	USPAT